



SIMPLY THE TOUGHEST

ABLOY® SUPER WEATHER
PROOF PADLOCK



WHY IS **ABLOY®** SUPER WEATHER PROOF THE WORLD'S BEST PADLOCK?

Storms from the sea. Burning sun. Biting frost. Desert sand and dust. Natural forces subject high security installations in telecommunication and energy networks, mines and water utilities to extreme stress.

To secure critical locations in severe and rapidly changing weather, railway professionals in Asia were urgently searching for locks they could rely on in all conditions. They turned to Abloy Oy, a Finnish company with decades of experience in listening to customers and developing high quality locking systems that meet their needs.

ABLOY® SUPER WEATHER PROOF (SWP) padlocks were born - a locking solution in which the components are extremely well protected to ensure operation in all conditions. Security is guaranteed even with regular exposure to extreme heat or cold, storm-driven salt water or fine desert dust.



IP68 – fully dust tight, withstands continued immersion in water

IP (International Protection) codes indicate how well an item is protected against dust and water ingress. The first digit indicates the degree of protection provided against the intrusion of foreign objects and dust, the second digit indicates water resistance. The IP68 designation awarded to **ABLOY®** SUPER WEATHER PROOF (SWP) padlocks indicates a hermetic seal.



STRONGER THAN EVER

Designed and manufactured in Finland, the excellent physical strength of ABLOY® padlocks provides extremely effective protection against forcing, picking and vandalism. Case hardened boron steel shackles offer exceptional durability and have successfully passed demanding corrosion tests.

TWO LEVELS OF PROTECTION

Mechanical SWP padlocks offer two levels of protection.



Shackle openings protected against the ingress of dust and water by sealed shackle.



In addition to sealed shackle, a weather seal cap protects the keyway and cylinder.

ELECTRONIC OPTIONS

ABLOY® PROTEC² CLIQ combines the best characteristics of mechanical and electronic locks. The remote management system allows user rights to be controlled via the internet, and lost keys can be deactivated without the need for mechanical rekeying. Both keys and locks provide an audit trail, and the critical components are protected to ensure operation in extreme conditions. ABLOY® PROTEC² CLIQ keys can be used to operate both electromechanical and mechanical padlocks.



ABLOY® SUPER WEATHER PROOF

– Availability and Protection Grades –

The SWP range of padlocks includes both mechanical and electromechanical models in a range of sizes. All padlocks in the range - both electromechanical and mechanical - offer the same high level of durability. Different sizes of mechanical and electromechanical locks can be combined in the same locking system.

330



Availability:



Protection Grade:



ABLOY Grade 3 padlocks meet the requirements of the following standards: EN12320 Grade 3, SSFN014 Grade 2

340



Availability:



Protection Grade:



ABLOY Grade 4 padlocks meet the requirements of the following standards: EN12320 Grade 4, SSFN014 Grade 3

350



Availability:



Protection Grade:



ABLOY Grade 5 padlocks meet the requirements of the following standards: EN12320 Grade 5, SSFN014 Grade 4

362



Availability:



Protection Grade:



ABLOY Grade 6 padlocks meet the requirements of the following standards: EN12320 Grade 6, SSFN014 Grade 5



ABLOY secures people, property, and business operations on land, at sea, and in the air – in all circumstances.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

MANUFACTURER:

Abloy Oy

Wahlforssinkatu 20
P.O. Box 108
FI-80101 Joensuu | Finland
Tel. +358 20 599 2501
WWW.ABLOY.COM

SUPPLIER:

ASSA ABLOY

Australia Pty Ltd

235 Huntingdale Road
Oakleigh, Victoria, 3166 | Australia
Tel. 1300 562 587
WWW.ASSAABLOY.COM.AU



An ASSA ABLOY Group brand **ASSA ABLOY**

Abloy Oy develops continuously the products and solutions offered. Therefore, the information contained in the marketing materials is subject to change without notice.

8801402 4/2014 5000 kpl Punamusta Oy Joensuu